












1739-0




Pos.	Description	N° pièce détachée	Prix	Pos.	Description	N° pièce détachée	Prix
1	1 x profilé mural de fixation	E 32230	37,95 €	15*	1 x capuchon (Pos. 5)		
3	1 x porte			16#	1 x poignée complète		
4	2 x profilé porte joint magnetique 45°	E 32055	jeu 34,95 €		1 x poignée bouton	E 32140-24	29,95 €
5	1 x profilé de logement d'aimant	E 32235	37,95 €		1 x poignée bouton soft cube	E 32140-32	29,95 €
6	1 x profilé mural de fixation	E 32232	37,95 €		1 x poignée à tige grande	E 32140-26	79,95 €
7*	6 x vis à tête bombée 4,2 x 45 mm			17	1 x profilé d'étanchéité (incl. Pos. 18)	E 32050	27,95 €
8*	6 x cheville S6			22*	1 x ruban adhésif		
9*	6 x capuchon à vis			38	1 x joint		
10*	6 x vis pour cache 3,5 x 9,5 mm			39	1 x joint		
11	1 x profilé hydrofuge (inkl. Pos. 12)	E 32058	jeu 24,95 €	41	4 x joint de brosse	E 32071	jeu 26,95 €
12	1 x joint à glisser	E 32067	11,95 €	42	2 x cache		
13*	2 x cales de montage	E 32201	pièce 7,50 €		* kit de vis et capuchons	E 32200	35,95 €
14*	1 x capuchon (Pos. 1)				# en option		



1




A	B
700 mm	678 - 704 mm
800 mm	778 - 804 mm
900 mm	878 - 904 mm
1000 mm	978 - 1004 mm




- 2 D'abord tirez le joint de brosse vers le haut pour env. 6mm.
Raccourcissez-le et insérez-le de nouveau.
Il devrait créer un espace libre au-dessus pour pouvoir fixer le cache facilement.


①




②




③




3




4





5




6







9





10








12




13



14



en option








15

option 1


ou

option 2




en option

16




en option

17






18




19

Pos. 15













1739-0




Pos.	Description	N° pièce détachée	Prix	Pos.	Description	N° pièce détachée	Prix
1	1 x profilé mural de fixation	E 32230	37,95 €	16#	1 x poignée complète		
1.1	1 x profilé mural de fixation (moins)	E 32230	37,95 €		1 x poignée bouton	E 32140-24	29,95 €
2	1 x paroi fixe				1 x poignée bouton soft cube	E 32140-32	29,95 €
3	1 x porte				1 x poignée à tige grande	E 32140-26	79,95 €
4	2 x profilé porte joint magnetique 45°	E 32055	jeu 34,95 €	17	1 x profilé d'étanchéité (incl. Pos. 18+19)	E 32050	jeu 27,95 €
7*	6 x vis à tête bombée 4,2 x 45 mm			19	1 x cache		
8*	6 x cheville S6			20*	1 x cale de silicone (6 unités)	E 32203	jeu 13,95 €
9*	6 x capuchon à vis			21	1 x barre de stabilisation	E 32320	29,95 €
10*	6 x vis pour cache 3,5 x 9,5 mm			22*	1 x ruban adhésif		
11	1 x profilé hydrofuge (incl. Pos. 12)	E 32058	jeu 24,95 €	23*	1 x capuchon		
12	1 x joint à glisser	E 32067	11,95 €	38	1 x joint		
13*	2 x cales de montage	E 32201	pièce 7,50 €	40	1 x joint		
14*	2 x capuchon			41	4 x joint de brosse	E 32071	26,95 €
				42	1 x cache		
					* kit de vis et capuchons	E 32200	35,95 €
					# en option		



1








A	B	C
700 mm	678 - 704 mm	787 - 805 mm
800 mm	778 - 804 mm	887 - 905 mm
900 mm	878 - 904 mm	
1000 mm	978 - 1004 mm	




2

D'abord tirez le joint de brosse vers le haut pour env. 6mm.
Raccourcissez-le et insérez-le de nouveau.
Il devrait créer un espace libre au-dessus pour pouvoir fixer le cache facilement.







5




6




7




8




9




10



11



12



13

Diagram 13 illustrates the process of attaching the shower door to the wall. The diagram is divided into two parts, 1 and 2, showing the door being moved into position and secured with a screw.

Part 1 shows the door being moved into position (5) and secured with a screw (1) at Pos. 10. A hand is shown holding the door (4) and a screwdriver is shown tightening the screw (2) at Pos. 9.

Part 2 shows the door being moved into position (5) and secured with a screw (6) at Pos. 9. A hand is shown holding the door (4) and a screwdriver is shown tightening the screw (2) at Pos. 9.

14


Diagram 14 illustrates the assembly of the bottom rail and handle. The main diagram shows a perspective view of a cabinet frame with a top rail (Pos. 21) and a bottom rail (Pos. 13). A handle (Pos. 20) is being attached to the bottom rail. An inset shows the assembly of the handle (3) with a screw (4) and a washer (1). A callout shows the handle (1) being inserted into the bottom rail (2).

15


option 1

ou


option 2



Pos. 11
Pos. 12




Pos. 11
Pos. 17




en option

16




en option


17



18



1739-0



Kontrollbeleg Control Receipt

Prüfnummer / Inspection number



Duschservice
Zum Hohlen Morgen 22
59939 Olsberg
Deutschland / Germany / Allemagne / Duitsland



Ersatzteilbestellung/



Fax 02962 / 972-4260

Allgemeine technische Probleme:



Telefon 02962 / 972-40

E-mail:



ersatzteile@duschservice.de