

DECLARATIE DE CONFORMITATE/DECLARATION OF CONFORMITY

Nr./No. DoC_I55366_5036581066970_3_RO

1. **Cod unic de identificare al produsului-tip/Unique identification code of the product-type:**
MOZAIC PENTRU PERETI SI PARDOSELI/WALLS AND FLOORS MOSAIC TILE

2. **Tipul, lotul sau numarul de serie sau orice alt element care permite identificarea produsului pentru constructii/Type, batch or serial number or any other element allowing identification of the construction product:**
numarul lotului si codul EAN sunt inscriptionate pe ambalaj conform Anexa I/the batch number and the EAN code are written on the package according to Annex I

3. **Utilizarea sau utilizarile preconizate ale produsului pentru constructii/Intended use or uses of the construction product:**
 - mozaicul alcatuit din placute/piese de piatra naturala fixate pe un suport de plasa, se foloseşte pentru placarea peretilor si pardoselilor la interiorul constructiilor/the mosaic made from small plaque/pieces of natural stone fixed on a mesh support, is used for cladding walls and floors inside buildings;
 - braurile din piatra naturala fixate/nefixate pe un suport de plasa se folosesc ca elemente decorative la realizarea placarilor cu mozaic a peretilor la interiorul construcțiilor/the borders from natural stone fixed/not fixed on a mesh support are used as decorative elements when making cladding with mosaic tiles, of the walls inside the constructions.

4. **Numele, denumirea sociala sau marca inregistrata si adresa de contact a fabricantului/Name, registered trade name or registered trademark and contact address of the manufacturer:**
Kingfisher International Products B.V.
Rapenburgerstraat 175E, 1011 VM Amsterdam, The Netherlands

5. **Numele si adresa de contact a reprezentantului autorizat/Name and contact address of the authorised representative (where applicable):** -

6. **Conformitatea este demonstrata avand ca referinta/The conformity is demonstrated with the reference:**
AGREMENTUL TEHNIC IN CONSTRUCTII NR. 002-04/1632-2023

7. Performantele produselor/Products performances:

Caracteristici/Characteristics	U.M	Standard incercari/Clasificare Test standard/Classification	Nivel de referința/ Reference level	Valori declarate (rezultate incercari)/ Declared values (test results)
<i>Mozaic/mosaic REAL TUMBLED TRAVERTINO MOSAIC - GoodHome (cod M8J4, EAN 5036581066970)</i>				
Lungime placa/Tile length	mm	-	300±2	302
Latime placa/Tile width	mm	-	300±2	302
Greutate placa/Tile weight	kg	-	-	1.73
Lungime placuta/small plaque length	mm	-	-	49
Latime placuta/small plaque width	mm	-	-	49
Grosime placuta/ Small plaque thickness	mm	-	min. 8	8.11
Greutate placuta/ Small plaque weight	g	-	-	46.78
Distanta dintre placute/ Distance between the small plaques	mm	-	2±0.5	2
Numar placute pe o placa/ Number of small plaques on a board	-	-	36	36


Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	> 1	1.36
Rezistenta la lichide (metoda petei)/Resistance to liquids (Spotting methods): - apa/water - cafea/coffee - cola - ulei/oil - otet/vinegar - vin rosu/red wine - inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite - solutie de curatare/cleaning solution Cilit Bang	vizual/ visual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari/ without changes
Clasa de reactie la foc/Fire reaction class		performanta nedeterminata/undetermined performance		
* Adeziv CERESIT CM 25				
<i>Mosaic/mosaic MALACA MOSAIC LIGHT GREY PEBBLE - GoodHome (cod MS3, EAN 5036581068400)</i>				
Lungime placa/Tile length	mm	-	300±2	300
Latime placa/Tile width	mm	-	300±2	300
Greutate placa/Tile weight	kg	-	-	1.54
Grosime placuta/ Small plaque thickness	mm	-	min. 8	8.08
Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	> 1	1.24
Rezistenta la lichide (metoda petei)/Resistance to liquids (Spotting methods): - apa/water - cafea/coffee - cola - ulei/oil - otet/vinegar - vin rosu/red wine - inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite - solutie de curatare/cleaning solution Cilit Bang	vizual/ visual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari/ without changes
Clasa de reactie la foc/Fire reaction class		performanta nedeterminata/undetermined performance		
* Adeziv CERESIT CM 25				

Mozaic/mosaic BOHAI MOSAIC DARK GREY PEBBLE - GoodHome (cod MS5, EAN 5036581068448)				
Lungime placa/Tile length	mm	-	300±2	300
Latime placa/Tile width	mm	-	300±2	300
Greutate placa/Tile weight	kg	-	-	1.63
Grosime placuta/ Small plaque thickness	mm	-	min. 8	8.02
Aderenta la suport beton a mozaicului lipit cu adeziv clasa C2TES1*/Adhesion to the concrete support of the mosaic bonded with class adhesive C2TES1	N/mm ²	SR EN 12004-2:2017	> 1	1.21
Rezistenta la lichide (metoda petei)/Resistance to liquids (Spotting methods): - apa/water - cafea/coffee - cola - ulei/oil - otet/vinegar - vin rosu/red wine - inalbitor pe baza de hipoclorit de sodiu/bleach based on sodium hypochlorite - solutie de curatare/cleaning solution Cilit Bang	vizual/vis ual	SR EN ISO 2812-4:2007	-	Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari Fara modificari/ without changes
Clasa de reactie la foc/Fire reaction class		performanta nedeterminata/undetermined performance		
* Adeziv CERESIT CM 25				
Brau/Border REAL TUMBLED TRAVERTINO - GoodHome W8J3 (EAN 5036581066963)				
Densitatea reala/Density	kg/m ³	TS EN 1936:2010	-	2662
Densitatea aparenta/Bulk density	kg/m ³		-	2440
Porozitatea totala/Total porosity	%		-	8.4
Porozitatea deschisa/Open porosity	%		-	1.7
Coeficientul de absorbtiei de apa prin capilaritate/Coefficient of water absorption by capillarity	g/m ² ·s ^{0,5}	TS EN 1925:2000	-	1.9
Absorbtia de apa la presiune atmosferica/Water absorption at atmospheric pressure	%	TS EN 13755:2014	-	0.9

- 8. Denumirea si adresa laboratorului care a efectuat incercarile/Name and identification of the laboratory which performed the tests:**
 LABORATORUL CENTRAL S.A. - București, str. Barbu Vacarescu nr. 162, sector 2.
 ACREDITE DOGALTAS ANALIZ LABORATUVARI (DAL) - Turcia

Aceasta declaratie de conformitate este emisa pe raspunderea exclusiva a fabricantului identificat la punctul 4./This declaration of conformity is issued under the sole responsibility of the manufacturer identified in point 4.

Semnata pentru si in numele fabricantului de catre/Signed for and on behalf of the manufacturer by:



David Awe
Group Quality Director

Paddington, 5/10/2023

Anexa I/Annex I

Mozaic/Mosaic:
EAN 5036581066970
EAN 5036581066987
EAN 5036581066994
EAN 5036581067007
EAN 5036581067014
EAN 5036581068417
EAN 5036581068455
EAN 5036581068462
EAN 5036581068400
EAN 5036581068448
EAN 5036581068424
EAN 5036581068431
Brauri/Borders
EAN 5036581067021
EAN 5036581067038
EAN 5036581066963