

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

Version 1.3

Print Date 10.05.2023

Revision date / valid from 27.02.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Trade name : SODIUM PERCARBONATE GRANULAR COATED IMPORT  
Substance name : Disodium carbonate, compound with hydrogen peroxide (2:3)  
CAS-No. : 15630-89-4  
EC-No. : 239-707-6  
EU REACH-Reg. No. : 01-2119457268-30-xxxx

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Identified use: See table in front of appendix for a complete overview of identified uses.  
Uses advised against : At this moment we have not identified any uses advised against  
Remarks : Before referring to any Exposure Scenario attached to this Safety Data Sheet please check the grade of the product: the Exposure Scenarios presented are not related to all product grade

#### 1.3. Details of the supplier of the safety data sheet

Company : BRENNTAG S.A.  
Avenue du Progrès 90  
FR 69680 CHASSIEU  
Telephone : +33(0)4.72.22.16.00  
Telefax : +33(0)4.72.79.53.74  
E-mail address : securite-produits@brenntag.fr  
Responsible/issuing person : Direction HSE

#### 1.4. Emergency telephone number

Emergency telephone number : Emergency phone number BRENNTAG SA  
Available 24h/7d  
0800 07 42 28 from within France  
+33 800 07 42 28 international  
  
Poison Control Centers in France  
(Service ORFILA by the INRS)  
Available 24h/7d  
Information limited to intoxications  
01 45 42 59 59 from within France

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

+33 1 45 42 59 59 international

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

REGULATION (EC) No 1272/2008			
Hazard class	Hazard category	Target Organs	Hazard statements
Oxidizing solids	Category 3	---	H272
Acute toxicity (Oral)	Category 4	---	H302
Serious eye damage	Category 1	---	H318

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### Most important adverse effects

- Human Health : See section 11 for toxicological information.
- Physical and chemical hazards : See section 9/10 for physicochemical information.
- Potential environmental effects : See section 12 for environmental information.

#### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard symbols :



Signal word : Danger

Hazard statements : H272 May intensify fire; oxidizer.  
H302 Harmful if swallowed.  
H318 Causes serious eye damage.

Precautionary statements

Prevention : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P220 Keep away from clothing and other combustible materials.

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

	P280	Wear protective gloves/ eye protection/ face protection.
Response	: P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
	P370 + P378	In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.
Disposal	: P501	Dispose of contents/ container to an approved waste disposal plant.

### Hazardous components which must be listed on the label:

- Disodium carbonate, compound with hydrogen peroxide (2:3)

### 2.3. Other hazards

The PBT or vPvB criteria of Annex XIII to the REACH Regulation does not apply to inorganic substances.

Ecological information: No information available about endocrine disruption properties for environment.

Toxicological information: No information available about endocrine disruption properties for human health.

Risk of explosion if heated under confinement.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Hazardous components	Amount [%]	Classification (REGULATION (EC) No 1272/2008)	
		Hazard class / Hazard category	Hazard statements
<b>Disodium carbonate, compound with hydrogen peroxide (2:3)</b>			
CAS-No. : 15630-89-4	100	Ox. Sol.3	H272
EC-No. : 239-707-6		Acute Tox.4 Oral	H302
EU REACH- : 01-2119457268-30-xxxx		Eye Dam.1	H318
Reg. No.		<hr/> Acute toxicity estimate Acute oral toxicity: 1034 mg/kg Acute dermal toxicity: 2000,01 mg/kg	

## **SODIUM PERCARBONATE GRANULAR COATED IMPORT**

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

#### **4.1. Description of first aid measures**

- General advice : Take off all contaminated clothing immediately.
- If inhaled : Remove to fresh air. If symptoms persist, call a physician.
- In case of skin contact : After contact with skin, wash immediately with plenty of soap and water. If symptoms call a physician.
- In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 10 minutes. Consult an eye specialist immediately. Go to an ophthalmic hospital if possible.
- If swallowed : Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person. If a person vomits when lying on his back, place him in the recovery position. Call a physician immediately.

#### **4.2. Most important symptoms and effects, both acute and delayed**

- Symptoms : See Section 11 for more detailed information on health effects and symptoms.
- Effects : See Section 11 for more detailed information on health effects and symptoms.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

- Treatment : Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### **5.1. Extinguishing media**

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Unsuitable extinguishing media : High volume water jet

#### **5.2. Special hazards arising from the substance or mixture**

- Specific hazards during firefighting : The substance itself does not burn, but in contact with combustible substances it increases the risk of fire and can fuel any existing fire substantially. In the event of fire and/or explosion do not breathe fumes.

## **SODIUM PERCARBONATE GRANULAR COATED IMPORT**

Hazardous combustion products : Carbon monoxide, Carbon dioxide (CO<sub>2</sub>)

### **5.3. Advice for firefighters**

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus. Wear personal protective equipment.  
Further advice : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment. Keep away unprotected persons. Ensure adequate ventilation. Avoid contact with skin and eyes. Do not breathe gas/fumes/vapour/spray.

### **6.2. Environmental precautions**

Environmental precautions : Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.

### **6.3. Methods and materials for containment and cleaning up**

Methods and materials for containment and cleaning up : Use mechanical handling equipment. Keep in suitable, closed containers for disposal.

Further information : Treat recovered material as described in the section "Disposal considerations".

### **6.4. Reference to other sections**

See Section 1 for emergency contact information.  
See Section 8 for information on personal protective equipment.  
See Section 13 for waste treatment information.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

Advice on safe handling : Keep container tightly closed. Ensure adequate ventilation. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. Do not breathe vapours/dust. Emergency eye wash fountains and emergency showers should be available in the immediate vicinity.

Hygiene measures : Keep away from food, drink and animal feedingstuffs. Smoking, eating and drinking should be prohibited in the application area. Wash hands before breaks and at the end of workday. Take off all contaminated clothing immediately.

### **7.2. Conditions for safe storage, including any incompatibilities**

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

Requirements for storage areas and containers	: Store in original container. Keep away from heat and sources of ignition. Keep away from direct sunlight. Do not store near combustible materials.
Advice on protection against fire and explosion	: Oxidizing; Contact with combustible material may cause fire. Keep away from sources of ignition - No smoking.
Further information on storage conditions	: Keep tightly closed in a dry and cool place.
Advice on common storage	: Keep away from food, drink and animal feedingstuffs.
Advice on common storage	: Keep away from combustible material. Keep away from food, drink and animal feedingstuffs.
Storage temperature	: < 40 °C
Suitable packaging materials	: Stainless steel, Polyethylene
Unsuitable packaging materials	: , Iron, Copper, Zinc, Nickel

### 7.3. Specific end use(s)

Specific use(s)	: Identified use: See table in front of appendix for a complete overview of identified uses.
-----------------	--

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Other Occupational Exposure Limit Values

(Additional) Information : Contains no substances with occupational exposure limit values.

<b>Component:</b>	<b>Disodium carbonate, compound with hydrogen peroxide (2:3)</b>	<b>CAS-No. 15630-89-4</b>
-------------------	--	---------------------------

#### Derived No Effect Level (DNEL)/Derived Minimal Effect Level (DMEL)

DNEL	Workers, Long-term - local effects, Inhalation	: 5 mg/m <sup>3</sup>
DNEL	Workers, Long-term - local effects, Skin contact	: 12,8 mg/cm <sup>2</sup>
DNEL	Workers, Acute - local effects, Skin contact	: 12,8 mg/cm <sup>2</sup>
DNEL		

**SODIUM PERCARBONATE GRANULAR COATED IMPORT**

Consumers, Long-term - local effects, Skin contact : 6,4 mg/cm<sup>2</sup>

DNEL

Consumers, Acute - local effects, Skin contact : 6,4 mg/cm<sup>2</sup>

**Predicted No Effect Concentration (PNEC)**

Fresh water : 0,035 mg/l

Marine water : 0,0035 mg/l

Sewage treatment plant (STP) : 16,24 mg/l

**8.2. Exposure controls****Appropriate engineering controls**

Refer to protective measures listed in sections 7 and 8.

**Personal protective equipment***Respiratory protection*

Advice : In case of insufficient ventilation, wear suitable respiratory equipment.  
When aerosol or mist is formed use suitable respiratory protection.  
Respiratory protection complying with EN 141.  
Particle filter:P2

*Hand protection*

Advice : Protective gloves complying with EN 374.  
Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.  
Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.  
Protective gloves should be replaced at first signs of wear.

Material : Nitrile rubber  
Glove thickness : 15 mm

Material : PVC  
Break through time : 240 - 480 min

*Eye protection*

Advice : Safety goggles

*Skin and body protection*

Advice : Wear personal protective equipment.

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

### Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.  
Avoid subsoil penetration.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Form	:	granules
Physical state	:	solid
Colour	:	white
Odour	:	odourless
Odour Threshold	:	No data available
Melting point/range	:	No data available
Boiling point/boiling range	:	No data available
Flammability (solid, gas)	:	Not applicable
Upper explosion limit / Upper flammability limit	:	No data available
Lower explosion limit / Lower flammability limit	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Self-Accelerating decomposition temperature (SADT)	:	No data available
pH	:	10,4 - 10,7 (20 °C) Concentration: 10 g/l
Viscosity		
Viscosity, dynamic	:	Not applicable
Viscosity, kinematic	:	Not applicable
Flow time	:	No data available
Solubility(ies)		
Water solubility	:	140 g/l (20 °C)

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

Solubility in other solvents : soluble  
: No data available

Dissolution Rate : No data available

Partition coefficient: n-octanol/water : log Pow: -1,57

Dispersion Stability : No data available

Vapour pressure : < 0,001 Pa (25 °C)

Relative density : 2,01 (20 °C)

Density : No data available

Bulk density : No data available

Relative vapour density : Not applicable

Particle characteristics  
No data available

### 9.2 Other information

Explosives : Product is not explosive.

Evaporation rate : No data available

Molecular weight : 314,06 g/mol

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Advice : No decomposition if stored and applied as directed.  
The substance itself does not burn, but in contact with combustible substances it increases the risk of fire and can fuel any existing fire substantially.

Reacts exothermic with acids.

### 10.2. Chemical stability

Advice : Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

Hazardous reactions : Contact with combustible material may cause fire.

### 10.4. Conditions to avoid

Conditions to avoid : Protect from humidityHeat

Thermal decomposition : No data available

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

### 10.5. Incompatible materials

Materials to avoid : Keep away from combustible material. Water, Acids and bases, Reducing agents, Organic materials, metal salts, Metal oxides, Metals

### 10.6. Hazardous decomposition products

Hazardous decomposition products : Oxygen, Carbon dioxide (CO<sub>2</sub>), Carbon monoxide, Steam, Water

## SECTION 11: Toxicological information

### 11.1. Information on the hazard classes within the meaning of Regulation (EC) No. 1272/2008

<b>Component:</b>	<b>Disodium carbonate, compound with hydrogen peroxide (2:3)</b>	<b>CAS-No. 15630-89-4</b>
-------------------	--	---------------------------

#### Acute toxicity

##### Oral

LD50 : 1034 mg/kg (Rat, male and female) (US-EPA method)

##### Inhalation

No data available

##### Dermal

LD50 : > 2000 mg/kg (Rabbit) (OECD Test Guideline 402)Literature value

#### Irritation

##### Skin

Result : No skin irritation (Rabbit)

##### Eyes

Result : Causes serious eye damage. (Rabbit)

#### Sensitisation

Result : not sensitizing (Buehler Test; Guinea pig) (OECD Test Guideline 406)Literature value

#### CMR effects

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

### CMR Properties

Carcinogenicity : It is not considered carcinogenic.  
 Mutagenicity : No data available  
 Teratogenicity : No data available  
 Reproductive toxicity : No data available

### Specific Target Organ Toxicity

#### Single exposure

Remarks : No data available

#### Repeated exposure

Remarks : No data available

### Other toxic properties

#### Aspiration hazard

Not applicable,

### Further information

Experience with human exposure : Irritating to eyes and skin.,

## 11.2. Information on other hazards

### Data for the product

#### Endocrine disrupting properties

Assessment : No information available about endocrine disruption properties for human health.

**Component:** Disodium carbonate, compound with hydrogen peroxide (2:3) **CAS-No. 15630-89-4**

#### Endocrine disrupting properties

Assessment : No information available about endocrine disruption properties for human health.

## SECTION 12: Ecological information

### 12.1. Toxicity

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

<b>Component:</b>	<b>Disodium carbonate, compound with hydrogen peroxide (2:3)</b>	<b>CAS-No. 15630-89-4</b>
-------------------	--	---------------------------

### Acute toxicity

#### Fish

LC50 : 70,7 mg/l (Pimephales promelas; 96 h) (semi-static test)Literature value

#### Toxicity to daphnia and other aquatic invertebrates

EC50 : 4,9 mg/l (Daphnia pulex (Water flea); 48 h) (semi-static test)Literature value

#### algae

EC50 : 7,7 mg/l (algae; 72 h) Literature value

#### Bacteria

EC50 : 466 mg/l (activated sludge; 30 min; Test substance: Hydrogen peroxide) (OECD Test Guideline 209)Literature value

### Chronic toxicity

#### Aquatic invertebrates

NOEC : 2 mg/l (Daphnia pulex (Water flea); 48 d) (semi-static test)

## 12.2. Persistence and degradability

<b>Component:</b>	<b>Disodium carbonate, compound with hydrogen peroxide (2:3)</b>	<b>CAS-No. 15630-89-4</b>
-------------------	--	---------------------------

### Persistence and degradability

#### Persistence

Result : The product can be degraded by abiotic (e.g. chemical or photolytic) processes.

#### Biodegradability

Result : The methods for determining the biological degradability are not

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

applicable to inorganic substances.

### 12.3. Bioaccumulative potential

<b>Component:</b>	<b>Disodium carbonate, compound with hydrogen peroxide (2:3)</b>	<b>CAS-No. 15630-89-4</b>
<b>Bioaccumulation</b>		

Result : log Kow -1,57  
 : Does not bioaccumulate.

### 12.4. Mobility in soil

<b>Component:</b>	<b>Disodium carbonate, compound with hydrogen peroxide (2:3)</b>	<b>CAS-No. 15630-89-4</b>
<b>Mobility</b>		

Water : The product is water soluble.  
 Soil : Will not adsorb on soil.

### 12.5. Results of PBT and vPvB assessment

<b>Data for the product</b>		
<b>Results of PBT and vPvB assessment</b>		

Result : The PBT or vPvB criteria of Annex XIII to the REACH Regulation does not apply to inorganic substances.

<b>Component:</b>	<b>Disodium carbonate, compound with hydrogen peroxide (2:3)</b>	<b>CAS-No. 15630-89-4</b>
<b>Results of PBT and vPvB assessment</b>		

Result : The PBT or vPvB criteria of Annex XIII to the REACH Regulation does not apply to inorganic substances.

### 12.6. Endocrine disrupting properties

<b>Data for the product</b>		
Endocrine disrupting potential	:	No information available about endocrine disruption properties for environment.

<b>Component:</b>	<b>Disodium carbonate, compound with hydrogen peroxide (2:3)</b>	<b>CAS-No. 15630-89-4</b>
Endocrine disrupting potential	:	No information available about endocrine disruption properties for environment.

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

### 12.7. Other adverse effects

<b>Component:</b>	<b>Disodium carbonate, compound with hydrogen peroxide (2:3)</b>	<b>CAS-No. 15630-89-4</b>
-------------------	--	---------------------------

#### Adsorbed organic bound halogens (AOX)

Result : Product does not contain any organic halogens.

#### Additional ecological information

Result : Do not flush into surface water or sanitary sewer system. Avoid subsoil penetration.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

- Product : Disposal together with normal waste is not allowed. Special disposal required according to local regulations. Do not let product enter drains. Contact waste disposal services. This product shall be disposed of or recovered in compliance with Directive 2008/98/EC on waste as lastly amended.
- Contaminated packaging : Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. If recycling is not practicable, dispose of in compliance with local regulations.
- European Waste Catalogue Number : No waste code according to the European Waste Catalogue can be assigned for this product, as the intended use dictates the assignment. The waste code is established in consultation with the regional waste disposer.

## SECTION 14: Transport information

### 14.1. UN number or ID number

3378

### 14.2. UN proper shipping name

**ADR** : SODIUM CARBONATE PEROXYHYDRATE  
**RID** : SODIUM CARBONATE PEROXYHYDRATE  
**IMDG** : SODIUM CARBONATE PEROXYHYDRATE

### 14.3. Transport hazard class(es)

ADR-Class : 5.1

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

(Labels; Classification Code; Hazard Identification Number; Tunnel restriction code)	5.1; O2; 50; (E)
RID-Class	: 5.1
(Labels; Classification Code; Hazard Identification Number)	5.1; O2; 50
IMDG-Class	: 5.1
(Labels; EmS)	5.1; F-A, S-Q

### 14.4. Packaging group

ADR	: III
RID	: III
IMDG	: III

### 14.5. Environmental hazards

Environmentally hazardous according to ADR	: no
Environmentally hazardous according to RID	: no
Marine Pollutant according to IMDG-Code	: no

### 14.6. Special precautions for user

Not applicable.

### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Data for the product

Nomenclature of classified installations (ICPE) - Directive Seveso III : 4440 Oxidising solid, Hazard category 1, 2 or 3

<b>Component:</b>	<b>Disodium carbonate, compound with hydrogen peroxide (2:3)</b>	<b>CAS-No. 15630-89-4</b>
-------------------	--	---------------------------

EU. Chemicals Subject to PIC Procedure: Regulation 649/2012/EU on export and import of dangerous chemicals, as amended : ; The substance/mixture does not fall under this legislation.

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

EU. REACH, Annex XVII, : ; The substance/mixture does not fall under this legislation.  
Marketing and Use  
Restrictions (Regulation  
1907/2006/EC)

EU. Directive : Qualifying quantity for the application of Lower-tier  
2012/18/EU (SEVESO requirements: 50 tonnes; Part 1: Categories of dangerous  
III) on major accident substances; Oxidising Liquids, Category 1, 2 or 3, or; Oxidising  
hazards involving dangerous substances, Solids, Category 1, 2 or 3  
Annex I  
Qualifying quantity for the application of Upper-tier  
requirements: 200 tonnes; Part 1: Categories of dangerous  
substances; Oxidising Liquids, Category 1, 2 or 3, or; Oxidising  
Solids, Category 1, 2 or 3

### 15.2. Chemical safety assessment

A Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Full text of H-Statements referred to under sections 2 and 3.

H272	May intensify fire; oxidizer.
H302	Harmful if swallowed.
H318	Causes serious eye damage.

### Abbreviations and Acronyms

<b>AU AIICL</b>	Australia. Industrial Chemicals Act (AIIC) List
<b>BCF</b>	bioconcentration factor
<b>BOD</b>	biochemical oxygen demand
<b>CAS</b>	Chemical Abstracts Service
<b>CLP</b>	Classification, Labelling and Packaging
<b>CMR</b>	carcinogenic, mutagenic or toxic to reproduction
<b>COD</b>	chemical oxygen demand
<b>DNEL</b>	derived no-effect level
<b>DSL</b>	Canada. Environmental Protection Act, Domestic Substances List
<b>EINECS</b>	European Inventory of Existing Commercial Chemical Substances
<b>ELINCS</b>	European List of Notified Chemical Substances
<b>ENCS (JP)</b>	Japan. Kashin-Hou Law List
<b>GHS</b>	Globally Harmonized System of Classification and Labelling of Chemicals
<b>IECSC</b>	China. Inventory of Existing Chemical Substances

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

<b>INSQ</b>	Mexico. National Inventory of Chemical Substances
<b>ISHL (JP)</b>	Japan. Inventory of Industrial Safety & Health
<b>KECI (KR)</b>	Korea. Existing Chemicals Inventory
<b>LC50</b>	median lethal concentration
<b>LOAEC</b>	lowest observed adverse effect concentration
<b>LOAEL</b>	lowest observed adverse effect level
<b>LOEL</b>	lowest observed effect level
<b>NDSL</b>	Canada. Environmental Protection Act. Non-Domestic Substances List
<b>NLP</b>	no-longer polymer
<b>NOAEC</b>	no observed adverse effect concentration
<b>NOAEL</b>	no observed adverse effect level
<b>NOEC</b>	no observed effect concentration
<b>NOEL</b>	no observed effect level
<b>NZIOC</b>	New Zealand. Inventory of Chemicals
<b>OECD</b>	Organisation for Economic Cooperation and Development
<b>OEL</b>	occupational exposure limit
<b>ONT INV</b>	Canada. Ontario Inventory List
<b>PBT</b>	persistent, bioaccumulative and toxic
<b>PHARM (JP)</b>	Japan. Pharmacopoeia Listing
<b>PICCS (PH)</b>	Philippines. Inventory of Chemicals and Chemical Substances
<b>PNEC</b>	predicted no-effect concentration
<b>REACH Auth. No.:</b>	REACH Authorisation Number
<b>REACH AuthAppC. No.</b>	REACH Authorisation Application Consultation Number
<b>STOT</b>	specific target organ toxicity
<b>SVHC</b>	substance of very high concern
<b>TCSI</b>	Taiwan. Existing Chemicals Inventory
<b>TH INV</b>	Thailand. Existing Chemicals Inventory from FDA
<b>TSCA</b>	US. Toxic Substances Control Act
<b>UVCB</b>	substance of unknown or variable composition, complex reaction products or biological materials
<b>VN INVL</b>	Vietnam. National Chemical Inventory
<b>vPvB</b>	very persistent and very bioaccumulative

### Further information

Key literature references and sources for data	:	Supplier information and data from the "Database of registered substances" of the European Chemicals Agency (ECHA) were used to create this safety data sheet.
Methods used for product classification	:	The classification for human health, physical and chemical hazards and environmental hazards were derived from a combination of calculation methods and if available test data.
Hints for trainings	:	The workers have to be trained regularly on the safe handling of the products based on the information provided in the Safety

## SODIUM PERCARBONATE GRANULAR COATED IMPORT

Data Sheet and the local conditions of the workplace. National regulations for the training of workers in the handling of hazardous materials must be adhered to.

- Other information :
- The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship.
- The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.
- :
- The information provided in this Safety Data Sheet is correct to our knowledge at the date of its revision. The information given only describes the products with regard to safety arrangements and is not to be considered as a warranty or quality specification and does not constitute a legal relationship.
- The information contained in this Safety Data Sheet relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

|| Indicates updated section.

***SODIUM PERCARBONATE GRANULAR COATED IMPORT***